




FALCON EASY FIND TRACKER



Enter your tracker's phone number here for future reference:



Track by sending **600** by text message to the tracker's phone number.
(see section 7 for programming the number of the phone authorised to track the vehicle)



1. Introduction

Tracking is easy - To locate the position of your motorhome or caravan simply send a text message from your mobile phone to the trackers number containing **600**, the tracker will reply to advise you of its current position. (see section 7 for programming the number of the phone authorised to track the vehicle).

Installation is easy - The Easy Find Tracker is very easy to install, it can easily be located in any position around your caravan or motorhome and only requires a power connection.

Subscription free with exceptionally low running costs - The running costs of this tracker are significantly cheaper than a tracker monitored by a monitoring station as you are doing all the monitoring yourself, only an outgoing text message from your own phone and two from the tracker are used when you track the vehicle. An O2 contract or Pay As You Go SIM can be used in the tracker.

2. Installing the SIM card

The SIM card must be a full size (not a micro SIM) on the O2 network.

- A. Before inserting the SIM card, please make sure that the device is switched off.
- B. The SIM card slot can be found once the battery cover and rechargeable battery are removed.
- C. Insert the SIM card inside the slot and slide the lock into the locked position.




3. Installing the battery

Install the internal battery by connecting the plug to the power jack.

4. Connections

Connect the red wire to a constant +12V source and the black wire to ground (negative). The pre-wired panic button can be hidden in a convenient position. The tracker can be installed in a hidden position but for best performance it should not be shielded by a lot of metal.



5. Switch the device on/off

To turn on: Press and hold the power button for 2 seconds, the COM indicator light (red) will turn on for 3 seconds and then flash quickly 3 times to confirm the system has been turned on.

To turn off: Press and hold the power button for 2 seconds, the COM indicator light (red) will turn on for 5 seconds and then turn off to confirm the system has been turned off.

Note: The device will not react to any key being pressed within 30 seconds of the device being switched on or within 30 seconds of it searching for a GPS signal.

6. Status Indicators

GSM Indicator (blue): Indicator for telecommunication signal. Once connected to the GSM network this indicator should flash once every 3 seconds.

GPS Indicator (green): This indicator will be flashing while the system is searching for a satellite signal, once connected the indicator will flash once every 5 seconds.

COM Indicator (red): This indicator will turn on when switching the unit on or off as described in section 5.

7. Setting the mobile phone numbers

The master mobile phone will be used to setup and modify the system settings and will be the one authorised to track the vehicle.

Note: The password must be 6 digits and the default password is 999999

A. To set the master number – This is the number that will be able to track the vehicle
It is suggested that this be the usual user of the vehicle.

Send a message in the following format: **PASSWORD,100,MASTER PHONE NUMBER**

Example: **999999,100,07711123456**

The tracker will respond with: **Connection to #1 done**

B. To set the second number – This number will receive the alerts if the panic button is pressed and may be the same as your master number.

Send a message in the following format: **PASSWORD,200,SECOND PHONE NUMBER**

Example: **999999,200,077111234567**

The tracker will respond with: **Connection to #2 done**

C. To set the third number – This number will also receive the alerts if the panic button is pressed. It is suggested that this be a relative of the usual user of the vehicle.

Send a message in the following format: **PASSWORD,300,SECOND PHONE NUMBER**

Example: **999999,300,077111345678**

The tracker will respond with: **Connection to #3 done**

8. Changing the device password

Send an SMS text message to the devices mobile number from the master phone in the format:

OLD PASSWORD,500,NEW PASSWORD

Example: **999999,500,123456**

The tracker will respond with: **New password changed to 123456**

Note: The password can only be changed from the master phone.

9. Reset to factory default settings

If the user forgets the new password the device can be reset to the default settings by sending an SMS text message from the master phone containing the number 800

Example: **800**

The tracker will respond with two messages: **Reset to factory default setting** and **System working properly, please verify the SIM card balance**

Note: Use this setting with care as it will reset the device to the factory default setting and all previous setting data will be lost and you will need to set the master and secondary phones again. Only the master phone can reset the system to factory default.

10. Tracking via your mobile phone

To get the trackers current position send an SMS text message from the master phone to the devices mobile phone number containing the number **600**

Example: **600**

The tracker will respond with two text messages containing: **The current location, driving speed, direction, voltage and other values about the vehicle.**

Note: Only the master phone can track the vehicle.

11. SOS Alert

Press the panic button for 2 seconds and the device will send an SMS text message to the second and third mobile numbers with the following message: **Emergency, please check and the latitude and longitude.**

12. Features:

- Easy tracking by text message
- Low running costs, any O2 contract or Pay As You Go SIM card can be used
- Runs off 12V or 24V with built in Lithium Polymer battery backup (up to 150 hours)
- Enhanced GPS signal reception with intelligent position locking
- Quad band GSM for global roaming (GSM850/900/1800/1900MHz)
- Size: 96x55x26mm
- Weight: 140g